


Performans Tablosu / Performance Chart

Pompa Tipi Pump Type	HP	KW	Q l/ sec m <sup>3</sup> /h l/min	n = 1450 <sup>d/dk</sup> rpm Max,Katı Madde Ø Max. Dia. of the solid material = 55 mm															
				0	5.56	8.33	11.11	13.89	16.67	19.44	22.22	25.0	27.78	30.56	33.33	36.11	38.89		
				0	20	30	40	50	60	70	80	90	100	110	120	130	140		
				0	334	500	667	833	1000	1166	1333	1500	1669	1834	2000	2167	2333		
UAS 100-240 B-202	4	3.0		13.4	11.0	9.9	8.8	7.8	6.7	5.7	4.5	3.3	2.2						
UAS 100-240 B-210	5.5	4.0		15.0	12.5	11.4	10.4	9.5	8.5	7.4	6.3	5.2	3.8	2.5					
UAS 100-240 B-220	7.5	5.5	H	17.1	14.9	13.8	12.7	11.7	10.8	9.8	8.8	7.6	6.4	5.0	3.5				
UAS 100-240 B-238	10	7.5		19.9	17.4	16.3	15.2	14.3	13.4	12.5	11.7	10.8	9.8	8.6	7.3	5.9	4.3		
UAS 100-240 V-195	4	3.0	m	11.0	9.5	8.6	7.8	6.8	5.9	4.8	3.5								
UAS 100-240 V-210	5.5	4.0		13.0	11.3	10.6	9.8	8.9	8.0	7.0	6.0	4.9	3.6						
UAS 100-240 V-225	7.5	5.5		14.8	13.5	12.8	12.1	11.3	10.6	9.8	8.9	8.0	6.8	5.6	4.3				

Performans Eğrisi / Performance Curves




ENDÜSTRİYEL TİP DALGIÇ ATIKSU POMPASI  
INDUSTRIAL TYPE SUBMERSIBLE SEWAGE PUMPS  
UAS 100 SERİSİ / UAS 100 SERIES

Performans Tablosu / Performance Chart

Pompa Tipi Pump Type	HP	KW	Q	n = 1450 d/dk rpm										
				Max.Katı Madde Ø Max. Dia. of the solid material = 76 mm										
				0	5.56	8.33	11.11	13.89	16.67	19.44	22.22	25.0	27.78	30.56
				l/ sec	m <sup>3</sup> /h	l/min								
UAS 100-270 B-220	7.5	5.5	H	15.8	14.2	12.9	11.7	10.4	9.0	7.2	5.7			
UAS 100-270 B-235	10	7.5	m	18.2	16.5	15.1	13.9	12.8	11.5	9.9	8.0	5.5		
UAS 100-270 B-250	15	11		20.7	18.9	17.3	16.1	15.0	13.8	12.4	10.9	8.8	6.2	
UAS 100-270 B-278	20	15		25.5	23.7	22.2	20.9	19.8	18.5	17.3	16.0	14.5	12.9	10.9
UAS 100-270 V-235	10	7.5		12.0	11.3	10.4	9.3	8.0	6.6	5.0				
UAS 100-270 V-250	15	11		16.2	1.3	12.5	11.4	10.3	9.0	7.5	5.5			


Performans Eğrisi / Performance Curves



Performans Tablosu / Performance Chart

Pompa Tipi Pump Type	HP	KW	Q l/ sec m <sup>3</sup> /h l/min	n = 2900 d/dk rpm															
				Max.Katı Madde Ø = 38 mm Max. Dia. of the solid material															
				0	5.56	11.11	16.67	22.22	25.0	27.78	30.56	33.33	36.11	38.89	41.67	44.44	50.0		
				0	20	40	60	80	90	100	110	120	130	140	150	160	180		
UAS 100-240 D-143	7.5	5.5		25.3	22.4	18.9	14.7	9.4	6.6										
UAS 100-240 D-155	10	7.5	H	30.7	28.1	25.3	22.2	18.7	16.9	15.0	11.3								
UAS 100-270 D-190	25	18.5	m	50.0	46.7	43.8	40.9	37.6	35.8	34.0	31.7	29.3	26.9	24.3					
UAS 100-270 D-200	30	22		54.2	51.3	48.2	45.1	42.0	40.3	38.7	36.9	35.0	33.0	31.0	26.9				
UAS 100-270 D-215	40	30		64.2	61.1	57.8	54.9	52.0	50.5	48.9	47.1	45.3	43.4	41.1	39.0	36.5	30.7		

Performans Eğrisi / Performance Curves



ENDÜSTRİYEL TİP DALGIÇ ATIKSU POMPASI  
INDUSTRIAL TYPE SUBMERSIBLE SEWAGE PUMPS  
UAS 100 SERİSİ / UAS 100 SERIES

Performans Tablosu / Performance Chart

Pompa Tipi Pump Type	HP	KW	Q	n = 1450 $\frac{d}{dk}$ rpm											
				Max.Kalı Madde Ø Max. Dia. of the solid material = 74 mm											
				0	13.88	20.83	27.78	34.72	41.67	48.61	55.56	62.50	69.44	76.39	83.33
				l/ sec	m <sup>3</sup> /h	l/min	0	50	75	100	125	150	175	200	225
UAS 100-315 B-250	15	11	H	22.5	20.0	18.9	17.6	16.4	15.1	13.9	12.7				
UAS 100-315 B-270	20	15	m	26.0	23.5	22.2	21.0	19.8	18.5	17.3	16.0	14.8			
UAS 100-315 B-290	25	18.5		29.5	27.1	26.0	24.7	23.4	22.2	20.9	19.6	18.3	17.0		
UAS 100-315 B-300	30	22		33.0	30.4	29.1	27.9	26.5	25.2	24.0	22.7	21.3	20.0	18.8	
UAS 100-315 B-315	40	30		37.4	34.5	33.1	31.7	30.3	28.8	27.4	26.1	24.5	23.1	21.6	20.2

Performans Eğrisi / Performance Curves

