


Performans Tablosu / Performance Chart

Pompa Tipi Pump Type	HP	KW	Q l/ sec m ³ /h l/min	n = 2900 ^{d/dk} rpm										Max.Katı Madde Ø Max. Dia. of the Solid Material		
				0	1.39	2.78	4.17	55.56	6.94	8.33	9.72	11.11	12.5			
				0	5	10	15	20	25	30	35	40	45			
UAS 50-160 D-085	1.0	0.75	H	9.4	8.1	6.6	5.0	3.2	1.1							
UAS 50-160 D-096	1.5	1.10	m	12.3	10.8	9.4	7.8	6.1	4.3	2.6						
UAS 50-160 D-107	2.0	1.50		16.0	14.6	13.1	11.5	9.8	8.0	6.0	3.7					25 mm
UAS 50-160 D-120	3.0	2.20		20.3	19.9	17.4	15.9	14.3	12.5	10.6	8.6	6.3				
UAS 50-160 D-130	4.0	3.00		23.2	21.8	20.3	18.9	17.2	15.4	13.4	11.3	9.0	6.2			

Performans Eğrisi / Performance Curves




ENDÜSTRİYEL TİP DALGIÇ ATIKSU POMPASI
INDUSTRIAL TYPE SUBMERSIBLE SEWAGE PUMPS
UAS 50 SERİSİ / UAS 50 SERIES

Performans Tablosu / Performance Chart

Pompa Tipi Pump Type	HP	KW	Q l/ sec m ³ /h l/min	n = 2900 ^{d/dk} rpm							Max.Katı Madde Ø Max. Dia. of the
				0	1.39	2.78	4.17	55.56	6.94	8.33	
				0	5	10	15	20	25	30	
UAS 50-160 F-112	1.0	0.75		13.0	10.4	7.7	4.6	1.0			5 mm
UAS 50-160 F-122	1.5	1.10	H	17.0	14.2	11.2	8.1	4.7	1.0		
UAS 50-160 F-132	2.0	1.50	m	21.0	18.2	15.3	12.4	9.2	5.7		
UAS 50-160 F-145	3.0	2.20		25.9	23.0	20.3	17.3	14.0	10.4	5.4	


Performans Eğrisi / Performance Curves



Performans Tablosu / Performance Chart

Pompa Tipi Pump Type	HP	KW	Q l/ sec m ³ /h l/min	n = 2900 ^{d/dk} _{rpm}								Max.Kalı Madde Ø Max. Dia. of the Solid Material
				0	1.39	2.78	4.17	55.56	6.94	8.33	9.72	
				0	5	10	15	20	25	30	35	
				0	83	167	250	333	416	500	583	
UAS 50-160 V-118	1.0	0.75		8.4	7.2	6.1	4.7	3.3	1.6			
UAS 50-160 V-130	1.5	1.10	H	11.6	10.0	8.5	7.1	5.6	3.9	1.8		35 mm
UAS 50-160 V-143	2.0	1.50	m	15.2	13.0	11.2	9.6	8.0	6.2	4.2		
UAS 50-160 V-156	3.0	2.20		18.8	16.4	14.2	12.3	10.5	8.5	6.4	3.8	

Performans Eğrisi / Performance Curves



ENDÜSTRİYEL TİP DALGIÇ ATIKSU POMPASI
INDUSTRIAL TYPE SUBMERSIBLE SEWAGE PUMPS
UAS 50 SERİSİ / UAS 50 SERIES

Performans Tablosu / Performance Chart

Pompa Tipi Pump Type	HP	KW	Q l/ sec m ³ /h l/min	n = 2900 ^{d/dk} rpm												Max.Katı Madde Ø Max. Dia. of the Solid Material
				0	1,39	2,78	4,17	5,56	6,94	8,33	9,72	11,11	12,5	13,89		
				0	5	10	15	20	25	30	35	40	45	50		
				0	83	167	250	334	416	500	583	667	750	833		
UAS 50-200 D-135	4.0	3.00		25.3	24.6	22.0	21.9	18.9	17.2	15.4	13.3	10.8	7.9			25 mm
UAS 50-200 D-146	5.5	4.00		29.4	27.5	25.7	24.5	22.4	20.9	19.2	17.2	15.2	12.6	8.7		
UAS 50-200 F-150	4.0	3.00	H	28.0	25.2	22.3	19.5	16.4	12.7	8.3						5 mm
UAS 50-200 F-163	5.5	4.00	m	32.8	30.1	29.5	24.5	21.3	18.0	14.0						
UAS 50-200 V-121	4.0	3.00		20	17.9	15.9	13.9	12.0	10.0	7.3	5.1					35 mm
UAS 50-200 V-143	5.5	4.00		23.7	21.8	19.9	18.0	16.2	14.9	12.2	9.5	6.0				

Performans Eğrisi / Performance Curves

